


iPad Display Solutions





# iPad Displays Solutions

iPad sales continue to grow with hundreds of millions sold worldwide. These products are used to interact with audiences within the office, showroom, retail, visitor centres and events. Marketers have recognised the benefits and are increasingly turning to the simple and intuitive interactivity an iPad provides to communicate to a multitude of audiences.

Our range of iPad enclosures provide a secure, stylish and versatile method for the safe utilisation of iPad's in public environments. The iPad enclosures affix to table tops, display stands or walls providing easy access to the touch screen whilst protecting the unit from damage and theft.

The iPad itself has set new standards in the use of materials and quality of production. At Eurostand we have taken the same approach to manufacture by using high quality materials and production methods to produce products so good that we are confident in offering a 5 year guarantee across the range.





## iPad Display Curve

The iPad Curve is our entry level free standing unit and enclosure designed for quick and easy assembly. As with all our iPad products, where simple fast delivery of messages are key to your communication, they are an ideal solution. Designed to be versatile and practical whilst safely securing the iPads.

### Ideal for use in the following environments

- Simple freestanding information stations
- Queuing information systems
- Showroom product support
- Events where space is confined

- Holds iPad 2, 3, 4
- iPad Air conversion available early 2014
- Durable silver grey coated steel enclosure and matching floor stand
- iPad powered from inbuilt battery
- Black high gloss acrylic fascia
- Push button security lock with key release
- Versatile enclosure tilts through 120° and fully rotates 360°
- Home button recess allowing Guided Access on iOS 6 and above
- Maximum overall dimensions 370mm diameter x 1210mm(h)
- Packaging weight 9.2kg, carton dimensions 1060(w) x 390(d) x 90mm(h)
- $\bullet$  Optional enclosure lock & cable security cord with two keys



## iPad Multi Display




The iPad multi display range allows the ipad to be connected to a power supply and is perfect at events where longer use may be required or for permanent display within retail, showroom and visitor centre environments.


All products within the range boast a cable management system and come supplied with a power lead for immediate use.

### iPad multi display holder

- Designed for use with iPad 2, 3 and 4
- iPad Air conversion available early 2014
- Contemporary styling with robust steel holder finished textured matt-black
- Discreet management to point of exit of USB charging cable, adaptor and power lead
- Integral chrome push button security lock with two keys supplied
- Attractive acrylic fascia high gloss black as standard
- Home button recess allows perfect balance between iPad access and security (see Guided Access instructions)
- Comprehensive range of holder apertures for extensive iPad functionality
- Holder rotates and swivels 350°
- Holder tilts 90° except on post and wall mounted versions
- Heavy duty steel base finished silver with rubber foot pads 464mm diameter
- Special ship safe carton or optional moulded wheeled trolley case (all stands supplied dismantled for ease of transportation)
- UK 3 pin plug to figure 8 power lead supplied to connect to iPad adaptor 1 year guarantee
- Optional enclosure security lock and cable



### Cable management



USB charging cable concealed within enclosure behind iPad before exiting through centre hole



USB cable passes through holder support head, then down column tube



USB cable connects to adaptor which in turn connects to figure 8 power lead



3m figure 8 power lead and UK 3 pin plug exit stand for connection to appropriate power supply

### Optional enclosure security lock and cable



1.8m premium quality enclosure lock and cable with 2 keys



Lasso security cord to appropriate position on display stand. Not recommended for iPad Column and Podium stands



Alternatively lasso security cord to nearby stationary object to prevent removal of complete iPad display stand



For secure locking of iPad enclosure follow the instruction guide supplied

### Guided Access - Lock your iPad home button



In iOS 6 and above, you can limit an iPad to one app by disabling the 'home button' access and restrict touch screen input on certain areas enabling the iPad to be left unattended. Only available on iPad 2 and above.

- Go to Settings
- Tap General
- Scroll down to Accessibility
- Scroll down to Guided Access
- Tap Guided Access
- Switch Guided Access to on and Set Passcode if not already set
- Go to an app with a scrolling picture, triple click on the Home Button and press Start in the top right-hand side of screen. Your screen is now locked
- To unlock Triple click the home button, enter your passcode and in the top left-hand side click End.

### Acrylic features









A range of coloured acrylic features are available in neon blue, red and green or frost - 500(w) x 443mm(dia)



### iPad Post Mount

The iPad post enclosure is designed to carry an iPad whilst allowing secure fixing to the uprights of the Centro range of portable display stands. The unique fixing to the rear of the iPad post securely fastens into a channel in the aluminium sections used to build Centro display systems.

The iPad enclosure allows easy access to the touch screen of the iPad.

The combination of attention grabbing large format graphics and the detail that may be imparted by the interactivity of an iPad are a strong marketing combination.

### Ideal for use in the following environments

- Events
- Visitor centres
- Showrooms
- Retail promotion

- iPad holder and Centro interface mounting bracket supplied
- Holder rotates 360°
- No swivel movement or tilt action
- Overall holder dimensions
- Portrait: 206(w) x 58(d) x 294mm(h)
- Landscape: 294(w) x 58(d) x 206mm(h)
- Packaged weight 3kg







## iPad Wall Mount

When space is tight at an event, exhibition, road show or in a reception or showroom area, the iPad wall mount enclosure offers a practical solution. The enclosure and wall fixing unit allows access to the iPad whilst securing the iPad and protecting it from damage or theft.

### Ideal for use in the following environments

- Showrooms
- Museums and art galleries
- Office environments
- Retail display

- iPad holder and Vesa mount tilting bracket with security locking screws supplied
- Holder can be mounted portrait or landscape
- Easy tilt adjustment +17° to -10°
- No rotation or swivel movement
- Overall holder dimensions
- Portrait: 206(w) x 80(d) x 294mm(h)
- Landscape: 294(w) x 80(d) x 206mm(h)
- Packaged weight 3kg





### iPad Counter Mount

The iPad counter enclosure can be used to affix to most counter displays or counter tops. The unique enclosure allows use of the iPad in vertical or horizontal formats and protects it from damage or theft.

The modern and simple design has been created to blend with almost any environment.

### Ideal for use in the following environments

- Visitor registration
- Venue maps and information
- Product features and benefits
- One to one presentations

- iPad holder with continuous power supply when connected to UK mains
- Assembles to most standard work surfaces subject to appropriate hole preparation
- Standard screw fixing set supplied
- Overall holder dimensions
- Portrait: 206(w) x 95(d) x 322mm(h)
- Landscape: 294(w) x 95(d) x 277mm(h)
- Packaged weight 3kg





### iPad Column

The inventive iPad column systems are designed to attach an iPad into the top of the posts from the Centro range of portable display stands. The unique fixing to the base of the holder securely fastens into the top of the aluminium sections used to build Centro display stands.

The column units allow secure use of an iPad in conjunction with a simple freestanding promotional graphic display.

The portability of the column stands provide the ideal opportunity to use graphic panels and iPads in a simple combination to create information stations.

### Ideal for use in the following environments

- Simple freestanding information stations
- Queuing information systems
- Showroom product support
- Events where space is confined

- Post and base with versatile iPad holder
- Continuous iPad power supply when connected to UK mains
- Combined post height 1265mm
- Maximum overall dimensions 464(w) x 425(d) x 1595(h)
- Packaged weight 15kg (carton) or 24kg (case)
- See further options in Concept displays





### iPad Podium

The iPad podium displays are ideal for almost any reception situation. From event and showroom use to visitor centres and offices, this simple unit can be used to provide information. They can even been used as a speaker and presentation support tool.

The modern iPad podium stand is designed to fit within most reception environments. The iPad enclosure fixes securely to the top of an acrylic table top which is available in neon blue, red and green or frost.

### Ideal for use in the following environments

- Office receptions
- Simple freestanding information stations
- Queuing information systems
- Showroom product support
- Events where space is confined

- Single post, base and acrylic podium table with versatile iPad holder
- Continuous iPad power supply when connected to UK mains
- Table height 1014mm
- Maximum overall dimensions 500(w) x 445(d) x 1340mm(h)
- Packaged weight 15kg (carton) or 24kg (case)





## iPad Versa 1

The iPad versa 1 display is designed with multiple functions in mind. It utilises an iPad housed in a secure enclosure for interactive communication. The display also provides an acrylic table top for optimum product visibility, a graphic messaging area and a literature dispenser.

The system is ideal for retail, showroom and event use and is ideal for featuring hero products or new product launches.

The attention grabbing graphics combined with table top, literature dispenser and the iPad make a strong marketing combination.

### Ideal for use in the following environments

- Retail display
- Product launches
- Product promotion
- Showroom display

- Twin posts, base, acrylic podium table, 2 x linking profiles and A4 brochure holder
- Continuous iPad power supply when connected to UK mains
- Table height 1010mm and iPad combined post height 1265mm
- Maximum overall dimensions 800(w) x 500(d) x 1595mm(h)
- Packaged weight 20kg (carton) or 29kg (case)





### iPad Versa 2

The iPad versa 2 display is designed with multiple functions in mind. It utilises the iPad housed in the secure iPad holder for interactive communication. The display also provides an acrylic table top for optimum product visibility, the option for a graphic message area and 2 literature dispensers.

The system is perfect for retail, showroom and event use and is ideal for featuring hero products or new product launches.

The interactivity of an iPad combined with table top and literature dispensers and the possibility to add a graphic make a strong marketing combination.

### Ideal for use in the following environments

- Retail display
- Product launches
- Product promotion
- Showroom display

- Twin posts, base, acrylic podium table, 2 x linking profiles and 2 x A4 brochure holders
- Continuous iPad power supply when connected to UK mains
- Table height 1010mm and iPad combined post height 1265mm
- Maximum overall dimensions 800(w) x 500(d) x 1595mm(h)
- Packaged weight 20kg (carton) or 29kg (case





## iPad POS

The iPad POS display is designed to showcase a particular product or product range. The display utilises an iPad housed in the secure iPad enclosure for interactive communication and also provides three arcylic table tops for product display.

The system is perfect for retail and showroom use and draws attention to specific products in busy retail environments.

The eye grabbing display is perfect to feature physical products whilst utilising the iPad to highlight the benefits of the items being displayed.

### Ideal for use in the following environments

- Retail display
- Product launches
- Product promotion
- Showroom display

- Multiple post set with 3 x acrylic display podium tables
- Continuous iPad power supply when connected to UK mains
- Table heights 510mm, 775, 1010mm and iPad combined post height 1265mm
- Maximum overall dimensions 915(w) x 1000(d) x 1590mm(h)
- Packaged weight 20kg (carton) or 29kg (case)





# iPad Graphic Displays

The stylish iPad graphic display stand is designed to carry an iPad whilst attracting attention via graphic panels. The column units allow secure use of an iPad in conjunction with simple fixings for the panels.

These portable display stands provide the opportunity to use graphic panels and iPads in a simple combination to create promotional units.

### Ideal for use in the following environments

- Simple freestanding promotional stands
- Captive audience environments such as airports
- Showroom promotional support
- Events where people traffic is high volume



Fixings allow for side mounting of panels into profiles. Simple to fix with Phillips screwdriver.



Screw clips on a side mounted panel system.







# iPad Graphic Displays

The stylish iPad graphic display stand is designed to carry an iPad whilst attracting attention via graphic panels. The column units allow secure use of an iPad in conjunction with simple fixings for the panels.

These portable display stands provide the opportunity to use graphic panels and iPads in a simple combination to create promotional units.

### Ideal for use in the following environments


- Simple freestanding promotional stands
- Captive audience environments such as airports
- Showroom promotional support
- Events where people traffic is high volume



Fixings allow for face mounting of panels into profiles covering the post.



Thumb screw fixing on a face mounted panel system.





### Centro wheeled trolley

- Stylish and durable moulded plastic case with rubber wheels
- Detachable lid with moulded handle and 3 lockable latches
- Convenient side carry handle
- Overall dimensions 520(w) x 440(d) x 1130mm(h)
- Nominal net weight including tube without graphics 8.9kg
- Optional laminated folding top available in beech or black with padded bag
- Converts to counter display with simple application of graphic wrap
- Quality assured 12 months guarantee



### iPad packaging

- Specially manufactured double wall transit carton and internal fittings for ease of shipment worldwide of individual iPad stands
- Each carton supplied twin strapped with metal seals for convenient and safe handling
- Carton dimensions 1030(w) x 500(d) x 210mm(h)
- See individual stands spec for packaged weights











www.wall-paperprinters.co.uk www.roller-banners.co.uk www.twistbanners.com

### **PMT Digital Limited**

23 Burrel Road, St Ives, Cambridgeshire, PE27 3LE

Telephone: 01480 493666 sales@pmtdigital.co.uk www.pmtdigital.co.uk